Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2009 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://cedb.asce.org/*.

Accuracy

Network Calibration for Unfavorable Reference-Rover Geometry in Network-Based RTK: Ohio CORS Case Study — Dorota A. Grejner-Brzezinska, Niyazi Arslan, Pawel Wielgosz, and Chang-Ki Hong; 135 (3), 90-100 (2009).

Aerial surveys

Analysis and Evaluation of Various Tropospheric Modeling Approaches for High-Precision GPS Kinematic Positioning over Medium Ranges and at High Altitude: Case Study — S.-H. Zhao, X.-S. Lu, Q.-F. Wang, G.-R. Hu, and C. Ogaja; 135 (2), 66-71 (2009).

Improved Approach to LIDAR Airport Obstruction Surveying Using Full-Waveform Data — Christopher E. Parrish and Robert D. Nowak; 135 (2), 72-82 (2009).

Use of Airborne and Terrestrial Lidar to Detect Ground Displacement Hazards to Water Systems — Jonathan P. Stewart, Jianping Hu, Robert E. Kayen, Arthur J. Lembo, Brian D. Collins, Craig A. Davis, and Thomas D. O'Rourke; 135 (3), 113-24 (2009).

Air transportation

Improved Approach to LIDAR Airport Obstruction Surveying Using Full-Waveform Data — Christopher E. Parrish and Robert D. Nowak; 135 (2), 72-82 (2009).

Airports

Improved Approach to LIDAR Airport Obstruction Surveying Using Full-Waveform Data — Christopher E. Parrish and Robert D. Nowak; 135 (2), 72-82 (2009).

Algorithms

Jointly Robust Estimation of Unknown Parameters and Variance Components Based on Expectation-Maximization Algorithm — Junhuan Peng; 135 (1), 1-9 (2009).

New Method That Solves the Three-Point Resection Problem Using Straight Lines Intersection — Josep M. Font-Llagunes and Joaquim A. Batlle; 135 (2), 39-45 (2009).

Bridges, cable-stayed

Measuring Dynamic Oscillations of a Small Span Cable-Stayed Footbridge: Case Study Using L1 GPS Receivers — Ricardo Ernesto Schaal and Ana Paula C. Larocca; 135 (1), 33-7 (2009).

Bridges, pedestrian

Measuring Dynamic Oscillations of a Small Span Cable-Stayed Footbridge: Case Study Using L1 GPS Receivers — Ricardo Ernesto Schaal and Ana Paula C. Larocca; 135 (1), 33-7 (2009).

Case reports

Results from a Comprehensive Global Navigation Satellite System Test in the CORS-TR Network: Case Study — Kamil Eren, Turgut Uzel, Engin Gulal, Omer Yildirim, and Ayhan Cingoz; 135 (1), 10-8 (2009).

China

Jointly Robust Estimation of Unknown Parameters and Variance Components Based on Expectation-Maximization Algorithm — Junhuan Peng; 135 (1), 1-9 (2009).

Cliffs

Terrestrial Laser Scanning of Extended Cliff Sections in Dynamic Environments: Parameter Analysis — Michael J. Olsen, Elizabeth Johnstone, Neal Driscoll, Scott A. Ashford, and Falko Kuester; 135 (4), 161-9 (2009).

Correlation

Application of Least-Squares Variance Component Estimation to GPS Observables — A. R. Amiri-Simkooei, P. J. G. Teunissen, and C. C. J. M. Tiberius; 135 (4), 149-60 (2009).

Data analysis

Improved Approach to LIDAR Airport Obstruction Surveying Using Full-Waveform Data — Christopher E. Parrish and Robert D. Nowak; 135 (2), 72-82 (2009).

Data communication

Probabilistic Approach for Modeling and Presenting Error in Spatial Data — Edward S. Fekpe, Thomas K. Windholz, and Kate Beard; 135 (3), 101-12 (2009).

Data processing

Jointly Robust Estimation of Unknown Parameters and Variance Components Based on Expectation-Maximization Algorithm — Junhuan Peng; 135 (1), 1-9 (2009).

Datum

Inverse and Compound Datum/Frame Transformations — Bahadır Aktuğ; 135 (2), 46-55 (2009).

Deformation

Laser Scanner and Terrestrial Surveying Applied to Gravitational Deformation Monitoring of Large VLBI Telescopes' Primary Reflector — Pierguido Sarti, Luca Vittuari, and Claudio Abbondanza; 135 (4), 136-48 (2009).

Differential settlement

Use of Airborne and Terrestrial Lidar to Detect Ground Displacement Hazards to Water Systems — Jonathan P. Stewart, Jianping Hu, Robert E. Kayen, Arthur J. Lembo, Brian D. Collins, Craig A. Davis, and Thomas D. O'Rourke; 135 (3), 113-24 (2009).

Digital techniques

From the Conventional Total Station to the Prospective Image Assisted Photogrammetric Scanning Total Station: Comprehensive Review — Michael Scherer and José Luis Lerma; 135 (4), 173-8 (2009).

Erosion

Terrestrial Laser Scanning of Extended Cliff Sections in Dynamic Environments: Parameter Analysis — Michael J. Olsen, Elizabeth Johnstone, Neal Driscoll, Scott A. Ashford, and Falko Kuester; 135 (4), 161-9 (2009).

Errors

New Method for Outlier Diagnostics in Linear Regression — Serif Hekimoglu and R. Cuneyt Erenoglu; 135 (3), 85-9 (2009).

Probabilistic Approach for Modeling and Presenting Error in Spatial Data — Edward S. Fekpe, Thomas K. Windholz, and Kate Beard; 135 (3), 101-12 (2009).

Estimation

Improved Accuracy of Area Objects in a Geographic Information System Based on Helmert's Variance Component Estimation Method — Xiao-hua Tong, Wen-zhong Shi, and Da-jie Liu; 135 (1), 19-26 (2009).

New Method for Outlier Diagnostics in Linear Regression — Serif Hekimoglu and R. Cuneyt Erenoglu; 135 (3), 85-9 (2009).

Geodetic surveys

Jointly Robust Estimation of Unknown Parameters and Variance Components Based on Expectation-Maximization Algorithm — Junhuan Peng; 135 (1), 1-9 (2009).

Results from a Comprehensive Global Navigation Satellite System Test in the CORS-TR Network: Case Study — Kamil Eren, Turgut Uzel, Engin Gulal, Omer Yildirim, and Ayhan Cingoz; 135 (1), 10-8 (2009).

Analysis and Evaluation of Various Tropospheric Modeling Approaches for High-Precision GPS Kinematic Positioning over Medium Ranges and at High Altitude: Case Study — S.-H. Zhao, X.-S. Lu, Q.-F. Wang, G.-R. Hu, and C. Ogaja; 135 (2), 66-71 (2009).

New Method for Outlier Diagnostics in Linear Regression — Serif Hekimoglu and R. Cuneyt Erenoglu; 135 (3), 85-9 (2009).

Network Calibration for Unfavorable Reference-Rover Geometry in Network-Based RTK: Ohio CORS Case Study — Dorota A. Grejner-Brzezinska, Niyazi Arslan, Pawel Wielgosz, and Chang-Ki Hong; 135 (3), 90-100 (2009).

Performance of RTK Positioning in Forest Conditions: Case Study — Mieczysław Bakuła, Stanisław Oszczak, and Renata

Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2009 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://cedb.asce.org/*.

Accuracy

Network Calibration for Unfavorable Reference-Rover Geometry in Network-Based RTK: Ohio CORS Case Study — Dorota A. Grejner-Brzezinska, Niyazi Arslan, Pawel Wielgosz, and Chang-Ki Hong; 135 (3), 90-100 (2009).

Aerial surveys

Analysis and Evaluation of Various Tropospheric Modeling Approaches for High-Precision GPS Kinematic Positioning over Medium Ranges and at High Altitude: Case Study — S.-H. Zhao, X.-S. Lu, Q.-F. Wang, G.-R. Hu, and C. Ogaja; 135 (2), 66-71 (2009).

Improved Approach to LIDAR Airport Obstruction Surveying Using Full-Waveform Data — Christopher E. Parrish and Robert D. Nowak; 135 (2), 72-82 (2009).

Use of Airborne and Terrestrial Lidar to Detect Ground Displacement Hazards to Water Systems — Jonathan P. Stewart, Jianping Hu, Robert E. Kayen, Arthur J. Lembo, Brian D. Collins, Craig A. Davis, and Thomas D. O'Rourke; 135 (3), 113-24 (2009).

Air transportation

Improved Approach to LIDAR Airport Obstruction Surveying Using Full-Waveform Data — Christopher E. Parrish and Robert D. Nowak; 135 (2), 72-82 (2009).

Airports

Improved Approach to LIDAR Airport Obstruction Surveying Using Full-Waveform Data — Christopher E. Parrish and Robert D. Nowak; 135 (2), 72-82 (2009).

Algorithms

Jointly Robust Estimation of Unknown Parameters and Variance Components Based on Expectation-Maximization Algorithm — Junhuan Peng; 135 (1), 1-9 (2009).

New Method That Solves the Three-Point Resection Problem Using Straight Lines Intersection — Josep M. Font-Llagunes and Joaquim A. Batlle; 135 (2), 39-45 (2009).

Bridges, cable-stayed

Measuring Dynamic Oscillations of a Small Span Cable-Stayed Footbridge: Case Study Using L1 GPS Receivers — Ricardo Ernesto Schaal and Ana Paula C. Larocca; 135 (1), 33-7 (2009).

Bridges, pedestrian

Measuring Dynamic Oscillations of a Small Span Cable-Stayed Footbridge: Case Study Using L1 GPS Receivers — Ricardo Ernesto Schaal and Ana Paula C. Larocca; 135 (1), 33-7 (2009).

Case reports

Results from a Comprehensive Global Navigation Satellite System Test in the CORS-TR Network: Case Study — Kamil Eren, Turgut Uzel, Engin Gulal, Omer Yildirim, and Ayhan Cingoz; 135 (1), 10-8 (2009).

China

Jointly Robust Estimation of Unknown Parameters and Variance Components Based on Expectation-Maximization Algorithm — Junhuan Peng; 135 (1), 1-9 (2009).

Cliffs

Terrestrial Laser Scanning of Extended Cliff Sections in Dynamic Environments: Parameter Analysis — Michael J. Olsen, Elizabeth Johnstone, Neal Driscoll, Scott A. Ashford, and Falko Kuester; 135 (4), 161-9 (2009).

Correlation

Application of Least-Squares Variance Component Estimation to GPS Observables — A. R. Amiri-Simkooei, P. J. G. Teunissen, and C. C. J. M. Tiberius; 135 (4), 149-60 (2009).

Data analysis

Improved Approach to LIDAR Airport Obstruction Surveying Using Full-Waveform Data — Christopher E. Parrish and Robert D. Nowak; 135 (2), 72-82 (2009).

Data communication

Probabilistic Approach for Modeling and Presenting Error in Spatial Data — Edward S. Fekpe, Thomas K. Windholz, and Kate Beard; 135 (3), 101-12 (2009).

Data processing

Jointly Robust Estimation of Unknown Parameters and Variance Components Based on Expectation-Maximization Algorithm — Junhuan Peng; 135 (1), 1-9 (2009).

Datum

Inverse and Compound Datum/Frame Transformations — Bahadır Aktuğ; 135 (2), 46-55 (2009).

Deformation

Laser Scanner and Terrestrial Surveying Applied to Gravitational Deformation Monitoring of Large VLBI Telescopes' Primary Reflector — Pierguido Sarti, Luca Vittuari, and Claudio Abbondanza; 135 (4), 136-48 (2009).

Differential settlement

Use of Airborne and Terrestrial Lidar to Detect Ground Displacement Hazards to Water Systems — Jonathan P. Stewart, Jianping Hu, Robert E. Kayen, Arthur J. Lembo, Brian D. Collins, Craig A. Davis, and Thomas D. O'Rourke; 135 (3), 113-24 (2009).

Digital techniques

From the Conventional Total Station to the Prospective Image Assisted Photogrammetric Scanning Total Station: Comprehensive Review — Michael Scherer and José Luis Lerma; 135 (4), 173-8 (2009).

Erosion

Terrestrial Laser Scanning of Extended Cliff Sections in Dynamic Environments: Parameter Analysis — Michael J. Olsen, Elizabeth Johnstone, Neal Driscoll, Scott A. Ashford, and Falko Kuester; 135 (4), 161-9 (2009).

Errors

New Method for Outlier Diagnostics in Linear Regression — Serif Hekimoglu and R. Cuneyt Erenoglu; 135 (3), 85-9 (2009).

Probabilistic Approach for Modeling and Presenting Error in Spatial Data — Edward S. Fekpe, Thomas K. Windholz, and Kate Beard; 135 (3), 101-12 (2009).

Estimation

Improved Accuracy of Area Objects in a Geographic Information System Based on Helmert's Variance Component Estimation Method — Xiao-hua Tong, Wen-zhong Shi, and Da-jie Liu; 135 (1), 19-26 (2009).

New Method for Outlier Diagnostics in Linear Regression — Serif Hekimoglu and R. Cuneyt Erenoglu; 135 (3), 85-9 (2009).

Geodetic surveys

Jointly Robust Estimation of Unknown Parameters and Variance Components Based on Expectation-Maximization Algorithm — Junhuan Peng; 135 (1), 1-9 (2009).

Results from a Comprehensive Global Navigation Satellite System Test in the CORS-TR Network: Case Study — Kamil Eren, Turgut Uzel, Engin Gulal, Omer Yildirim, and Ayhan Cingoz; 135 (1), 10-8 (2009).

Analysis and Evaluation of Various Tropospheric Modeling Approaches for High-Precision GPS Kinematic Positioning over Medium Ranges and at High Altitude: Case Study — S.-H. Zhao, X.-S. Lu, Q.-F. Wang, G.-R. Hu, and C. Ogaja; 135 (2), 66-71 (2009).

New Method for Outlier Diagnostics in Linear Regression — Serif Hekimoglu and R. Cuneyt Erenoglu; 135 (3), 85-9 (2009).

Network Calibration for Unfavorable Reference-Rover Geometry in Network-Based RTK: Ohio CORS Case Study — Dorota A. Grejner-Brzezinska, Niyazi Arslan, Pawel Wielgosz, and Chang-Ki Hong; 135 (3), 90-100 (2009).

Performance of RTK Positioning in Forest Conditions: Case Study — Mieczysław Bakuła, Stanisław Oszczak, and Renata

Pelc-Mieczkowska; 135 (3), 125-30 (2009).

New Mathematical Model for Reference Point Determination of an Azimuth-Elevation Type Radio Telescope — Michael Lösler; 135 (4), 131-5 (2009).

From the Conventional Total Station to the Prospective Image Assisted Photogrammetric Scanning Total Station: Comprehensive Review — Michael Scherer and José Luis Lerma; 135 (4), 173-8 (2009).

Geographic information systems

Measuring Dynamic Oscillations of a Small Span Cable-Stayed Footbridge: Case Study Using L1 GPS Receivers — Ricardo Ernesto Schaal and Ana Paula C. Larocca; 135 (1), 33-7 (2009).

Analysis and Evaluation of Various Tropospheric Modeling Approaches for High-Precision GPS Kinematic Positioning over Medium Ranges and at High Altitude: Case Study — S.-H. Zhao, X.-S. Lu, Q.-F. Wang, G.-R. Hu, and C. Ogaja; 135 (2), 66-71 (2009).

Probabilistic Approach for Modeling and Presenting Error in Spatial Data — Edward S. Fekpe, Thomas K. Windholz, and Kate Beard; 135 (3), 101-12 (2009).

Performance of RTK Positioning in Forest Conditions: Case Study — Mieczysław Bakuła, Stanisław Oszczak, and Renata Pelc-Mieczkowska; 135 (3), 125-30 (2009).

From the Conventional Total Station to the Prospective Image Assisted Photogrammetric Scanning Total Station: Comprehensive Review — Michael Scherer and José Luis Lerma; 135 (4), 173-8 (2009).

Geometry

Network Calibration for Unfavorable Reference-Rover Geometry in Network-Based RTK: Ohio CORS Case Study — Dorota A. Grejner-Brzezinska, Niyazi Arslan, Pawel Wielgosz, and Chang-Ki Hong; 135 (3), 90-100 (2009).

Application of Least-Squares Variance Component Estimation to GPS Observables — A. R. Amiri-Simkooei, P. J. G. Teunissen, and C. C. J. M. Tiberius; 135 (4), 149-60 (2009).

Global positioning

Jointly Robust Estimation of Unknown Parameters and Variance Components Based on Expectation-Maximization Algorithm — Junhuan Peng; 135 (1), 1-9 (2009).

Results from a Comprehensive Global Navigation Satellite System Test in the CORS-TR Network: Case Study — Kamil Eren, Turgut Uzel, Engin Gulal, Omer Yildirim, and Ayhan Cingoz; 135 (1), 10-8 (2009).

Inverse and Compound Datum/Frame Transformations — Bahadır Aktuğ; 135 (2), 46-55 (2009).

Alternative Postprocessing Relative Positioning Approach Based on Precise Point Positioning — A. El-Mowafy; 135 (2), 56-65 (2009).

Network Calibration for Unfavorable Reference-Rover Geometry in Network-Based RTK: Ohio CORS Case Study — Dorota A. Grejner-Brzezinska, Niyazi Arslan, Pawel Wielgosz, and Chang-Ki Hong; 135 (3), 90-100 (2009).

Performance of RTK Positioning in Forest Conditions: Case Study — Mieczysław Bakuła, Stanisław Oszczak, and Renata Pelc-Mieczkowska; 135 (3), 125-30 (2009).

Concise Proof of Tienstra's Formula — Josep M. Porta and Federico Thomas; 135 (4), 170-2 (2009).

Graphic methods

New Method That Solves the Three-Point Resection Problem Using Straight Lines Intersection — Josep M. Font-Llagunes and Joaquim A. Batlle; 135 (2), 39-45 (2009).

Imaging techniques

From the Conventional Total Station to the Prospective Image Assisted Photogrammetric Scanning Total Station: Comprehensive Review — Michael Scherer and José Luis Lerma; 135 (4), 173-8 (2009).

Instrumentation

From the Conventional Total Station to the Prospective Image Assisted Photogrammetric Scanning Total Station: Comprehensive Review — Michael Scherer and José Luis Lerma; 135 (4), 173-8 (2009).

International factors

Evaluation of International Terrestrial Reference Frame Colocated Ties through Compatibility Testing — H. S. Fok; 135 (1), 27-32 (2009).

Kalman filters

Alternative Postprocessing Relative Positioning Approach Based on Precise Point Positioning — A. El-Mowafy; 135 (2), 56-65 (2009).

Kinematics

Results from a Comprehensive Global Navigation Satellite System Test in the CORS-TR Network: Case Study — Kamil Eren, Turgut Uzel, Engin Gulal, Omer Yildirim, and Ayhan Cingoz; 135 (1), 10-8 (2009).

Network Calibration for Unfavorable Reference-Rover Geometry in Network-Based RTK: Ohio CORS Case Study — Dorota A. Grejner-Brzezinska, Niyazi Arslan, Pawel Wielgosz, and Chang-Ki Hong; 135 (3), 90-100 (2009).

Performance of RTK Positioning in Forest Conditions: Case Study — Mieczysław Bakuła, Stanisław Oszczak, and Renata Pelc-Mieczkowska; 135 (3), 125-30 (2009).

Land surveys

Use of Airborne and Terrestrial Lidar to Detect Ground Displacement Hazards to Water Systems — Jonathan P. Stewart, Jianping Hu, Robert E. Kayen, Arthur J. Lembo, Brian D. Collins, Craig A. Davis, and Thomas D. O'Rourke; 135 (3), 113-24 (2009).

Landslides

Use of Airborne and Terrestrial Lidar to Detect Ground Displacement Hazards to Water Systems — Jonathan P. Stewart, Jianping Hu, Robert E. Kayen, Arthur J. Lembo, Brian D. Collins, Craig A. Davis, and Thomas D. O'Rourke; 135 (3), 113-24 (2009).

Lasers

Improved Approach to LIDAR Airport Obstruction Surveying Using Full-Waveform Data — Christopher E. Parrish and Robert D. Nowak; 135 (2), 72-82 (2009).

Use of Airborne and Terrestrial Lidar to Detect Ground Displacement Hazards to Water Systems — Jonathan P. Stewart, Jianping Hu, Robert E. Kayen, Arthur J. Lembo, Brian D. Collins, Craig A. Davis, and Thomas D. O'Rourke; 135 (3), 113-24 (2009).

Laser Scanner and Terrestrial Surveying Applied to Gravitational Deformation Monitoring of Large VLBI Telescopes' Primary Reflector — Pierguido Sarti, Luca Vittuari, and Claudio Abbondanza; 135 (4), 136-48 (2009).

Terrestrial Laser Scanning of Extended Cliff Sections in Dynamic Environments: Parameter Analysis — Michael J. Olsen, Elizabeth Johnstone, Neal Driscoll, Scott A. Ashford, and Falko Kuester; 135 (4), 161-9 (2009).

Least squares method

Improved Accuracy of Area Objects in a Geographic Information System Based on Helmert's Variance Component Estimation Method — Xiao-hua Tong, Wen-zhong Shi, and Da-jie Liu; 135 (1), 19-26 (2009).

New Method for Outlier Diagnostics in Linear Regression — Serif Hekimoglu and R. Cuneyt Erenoglu; 135 (3), 85-9 (2009).

Application of Least-Squares Variance Component Estimation to GPS Observables — A. R. Amiri-Simkooei, P. J. G. Teunissen, and C. C. J. M. Tiberius; 135 (4), 149-60 (2009).

Localization

Concise Proof of Tienstra's Formula — Josep M. Porta and Federico Thomas; 135 (4), 170-2 (2009).

Mapping

Alternative Postprocessing Relative Positioning Approach Based on Precise Point Positioning — A. El-Mowafy; 135 (2), 56-65 (2009).

Improved Approach to LIDAR Airport Obstruction Surveying Using Full-Waveform Data — Christopher E. Parrish and Robert D. Nowak; 135 (2), 72-82 (2009).

Terrestrial Laser Scanning of Extended Cliff Sections in Dynamic Environments: Parameter Analysis — Michael J. Olsen, Elizabeth Johnstone, Neal Driscoll, Scott A. Ashford, and Falko Kuester; 135 (4), 161-9 (2009).

Mathematical models

New Mathematical Model for Reference Point Determination of an Azimuth-Elevation Type Radio Telescope — Michael Lösler; 135 (4), 131-5 (2009).

Measurement

Measuring Dynamic Oscillations of a Small Span Cable-Stayed Footbridge: Case Study Using L1 GPS Receivers — Ricardo Ernesto Schaal and Ana Paula C. Larocca; 135 (1), 33-7 (2009).

Methodology

Jointly Robust Estimation of Unknown Parameters and Variance Components Based on Expectation-Maximization Algorithm — Junhuan Peng; 135 (1), 1-9 (2009).

Networks

Results from a Comprehensive Global Navigation Satellite System Test in the CORS-TR Network: Case Study — Kamil Eren, Turgut Uzel, Engin Gulal, Omer Yildirim, and Ayhan Cingoz; 135 (1), 10-8 (2009).

Inverse and Compound Datum/Frame Transformations — Bahadır Aktuğ; 135 (2), 46-55 (2009).

Alternative Postprocessing Relative Positioning Approach Based on Precise Point Positioning — A. El-Mowafy; 135 (2), 56-65 (2009).

Ohio

Network Calibration for Unfavorable Reference-Rover Geometry in Network-Based RTK: Ohio CORS Case Study — Dorota A. Grejner-Brzezinska, Niyazi Arslan, Pawel Wielgosz, and Chang-Ki Hong; 135 (3), 90-100 (2009).

Oscillations

Measuring Dynamic Oscillations of a Small Span Cable-Stayed Footbridge: Case Study Using L1 GPS Receivers — Ricardo Ernesto Schaal and Ana Paula C. Larocca; 135 (1), 33-7 (2009).

Parameters

Jointly Robust Estimation of Unknown Parameters and Variance Components Based on Expectation-Maximization Algorithm — Junhuan Peng; 135 (1), 1-9 (2009).

Terrestrial Laser Scanning of Extended Cliff Sections in Dynamic Environments: Parameter Analysis — Michael J. Olsen, Elizabeth Johnstone, Neal Driscoll, Scott A. Ashford, and Falko Kuester; 135 (4), 161-9 (2009).

Photogrammetry

From the Conventional Total Station to the Prospective Image Assisted Photogrammetric Scanning Total Station: Comprehensive Review — Michael Scherer and José Luis Lerma; 135 (4), 173-8 (2009).

Positioning

Analysis and Evaluation of Various Tropospheric Modeling Approaches for High-Precision GPS Kinematic Positioning over Medium Ranges and at High Altitude: Case Study — S.-H. Zhao, X.-S. Lu, Q.-F. Wang, G.-R. Hu, and C. Ogaja; 135 (2), 66-71 (2009).

Probability

Probabilistic Approach for Modeling and Presenting Error in Spatial Data — Edward S. Fekpe, Thomas K. Windholz, and Kate Beard; 135 (3), 101-12 (2009).

Regression analysis

New Method for Outlier Diagnostics in Linear Regression — Serif Hekimoglu and R. Cuneyt Erenoglu; 135 (3), 85-9 (2009).

Reliability

New Method for Outlier Diagnostics in Linear Regression — Serif Hekimoglu and R. Cuneyt Erenoglu; 135 (3), 85-9 (2009).

Satellites

Alternative Postprocessing Relative Positioning Approach Based on Precise Point Positioning — A. El-Mowafy; 135 (2), 56-65 (2009).

Analysis and Evaluation of Various Tropospheric Modeling Approaches for High-Precision GPS Kinematic Positioning over Medium Ranges and at High Altitude: Case Study — S.-H. Zhao, X.-S. Lu, Q.-F. Wang, G.-R. Hu, and C. Ogaja; 135 (2), 66-71 (2009).

Performance of RTK Positioning in Forest Conditions: Case Study — Mieczysław Bakuła, Stanisław Oszczak, and Renata Pelc-Mieczkowska; 135 (3), 125-30 (2009).

Spatial data

Improved Accuracy of Area Objects in a Geographic Information System Based on Helmert's Variance Component Estimation Method — Xiao-hua Tong, Wen-zhong Shi, and Da-jie Liu; 135 (1), 19-26 (2009).

Probabilistic Approach for Modeling and Presenting Error in Spatial Data — Edward S. Fekpe, Thomas K. Windholz, and Kate Beard; 135 (3), 101-12 (2009).

Statistics

Network Calibration for Unfavorable Reference-Rover Geometry in Network-Based RTK: Ohio CORS Case Study — Dorota A. Grejner-Brzezinska, Niyazi Arslan, Pawel Wielgosz, and Chang-Ki Hong; 135 (3), 90-100 (2009).

Surveys

Improved Accuracy of Area Objects in a Geographic Information System Based on Helmert's Variance Component Estimation Method — Xiao-hua Tong, Wen-zhong Shi, and Da-jie Liu; 135 (1), 19-26 (2009).

Evaluation of International Terrestrial Reference Frame Colocated Ties through Compatibility Testing — H. S. Fok; 135 (1), 27-32 (2009).

New Method That Solves the Three-Point Resection Problem Using Straight Lines Intersection — Josep M. Font-Llagunes and Joaquim A. Batlle; 135 (2), 39-45 (2009).

Probabilistic Approach for Modeling and Presenting Error in Spatial Data — Edward S. Fekpe, Thomas K. Windholz, and Kate Beard; 135 (3), 101-12 (2009).

Laser Scanner and Terrestrial Surveying Applied to Gravitational Deformation Monitoring of Large VLBI Telescopes' Primary Reflector — Pierguido Sarti, Luca Vittuari, and Claudio Abbondanza; 135 (4), 136-48 (2009).

Application of Least-Squares Variance Component Estimation to GPS Observables — A. R. Amiri-Simkooei, P. J. G. Teunissen, and C. C. J. M. Tiberius; 135 (4), 149-60 (2009).

Telescopes

New Mathematical Model for Reference Point Determination of an Azimuth-Elevation Type Radio Telescope — Michael Lösler; 135 (4), 131-5 (2009).

Laser Scanner and Terrestrial Surveying Applied to Gravitational Deformation Monitoring of Large VLBI Telescopes' Primary Reflector — Pierguido Sarti, Luca Vittuari, and Claudio Abbondanza; 135 (4), 136-48 (2009).

Terrain

Terrestrial Laser Scanning of Extended Cliff Sections in Dynamic Environments: Parameter Analysis — Michael J. Olsen, Elizabeth Johnstone, Neal Driscoll, Scott A. Ashford, and Falko Kuester; 135 (4), 161-9 (2009).

Tests

Evaluation of International Terrestrial Reference Frame Colocated Ties through Compatibility Testing — H. S. Fok; 135 (1), 27-32 (2009).

Topographic surveys

Terrestrial Laser Scanning of Extended Cliff Sections in Dynamic Environments: Parameter Analysis — Michael J. Olsen, Elizabeth Johnstone, Neal Driscoll, Scott A. Ashford, and Falko Kuester; 135 (4), 161-9 (2009).

Concise Proof of Tienstra's Formula — Josep M. Porta and Federico Thomas; 135 (4), 170-2 (2009).

From the Conventional Total Station to the Prospective Image Assisted Photogrammetric Scanning Total Station: Comprehensive Review — Michael Scherer and José Luis Lerma; 135 (4), 173-8 (2009).

Topography

New Method That Solves the Three-Point Resection Problem Using Straight Lines Intersection — Josep M. Font-Llagunes and Joaquim A. Batlle; 135 (2), 39-45 (2009).

Transformations

Inverse and Compound Datum/Frame Transformations — Bahadır Aktuğ; 135 (2), 46-55 (2009).

Triangulation

New Method That Solves the Three-Point Resection Problem Using Straight Lines Intersection — Josep M. Font-Llagunes and Joaquim A. Batlle; 135 (2), 39-45 (2009).

Uncertainly principles

Probabilistic Approach for Modeling and Presenting Error in Spatial Data — Edward S. Fekpe, Thomas K. Windholz, and Kate Beard; 135 (3), 101-12 (2009).

Variance analysis

Improved Accuracy of Area Objects in a Geographic Information System Based on Helmert's Variance Component Estimation Method — Xiao-hua Tong, Wen-zhong Shi, and Da-jie Liu; 135 (1), 19-26 (2009).

Application of Least-Squares Variance Component Estimation to GPS Observables — A. R. Amiri-Simkooei, P. J. G. Teunissen, and C. C. J. M. Tiberius; 135 (4), 149-60 (2009).

Water pipelines

Use of Airborne and Terrestrial Lidar to Detect Ground Displacement Hazards to Water Systems — Jonathan P. Stewart, Jianping Hu, Robert E. Kayen, Arthur J. Lembo, Brian D. Collins, Craig A. Davis, and Thomas D. O'Rourke; 135 (3), 113-24 (2009).

Weight

New Method for Outlier Diagnostics in Linear Regression — Serif Hekimoglu and R. Cuneyt Erenoglu; 135 (3), 85-9 (2009).

Author Index

Abbondanza, Claudio
Laser Scanner and Terrestrial Surveying Applied to Gravitational Deformation Monitoring of Large VLBI Telescopes' Primary Reflector — Pierguido Sarti, Luca Vittuari, and Claudio Abbondanza; 135 (4), 136-48 (2009).

Aktuğ, Bahadır
Inverse and Compound Datum/Frame Transformations — Bahadır Aktuğ; 135 (2), 46-55 (2009).

Amiri-Simkooei, A. R.
Application of Least-Squares Variance Component Estimation to GPS Observables — A. R. Amiri-Simkooei, P. J. G. Teunissen, and C. C. J. M. Tiberius; 135 (4), 149-60 (2009).

Arslan, Niyazi
Network Calibration for Unfavorable Reference-Rover Geometry in Network-Based RTK: Ohio CORS Case Study — Dorota A. Grejner-Brzezinska, Niyazi Arslan, Pawel Wielgosz, and Chang-Ki Hong; 135 (3), 90-100 (2009).

Ashford, Scott A.
Terrestrial Laser Scanning of Extended Cliff Sections in Dynamic Environments: Parameter Analysis — Michael J. Olsen, Elizabeth Johnstone, Neal Driscoll, Scott A. Ashford, and Falko Kuester; 135 (4), 161-9 (2009).

Bakuła, Mieczysław
Performance of RTK Positioning in Forest Conditions: Case Study — Mieczysław Bakuła, Stanisław Oszczak, and Renata Pelc-Mieczkowska; 135 (3), 125-30 (2009).

Batlle, Joaquim A.
New Method That Solves the Three-Point Resection Problem Using Straight Lines Intersection — Josep M. Font-Llagunes and Joaquim A. Batlle; 135 (2), 39-45 (2009).

Beard, Kate
Probabilistic Approach for Modeling and Presenting Error in Spatial Data — Edward S. Fekpe, Thomas K. Windholz, and Kate Beard; 135 (3), 101-12 (2009).

Cingoz, Ayhan
Results from a Comprehensive Global Navigation Satellite System Test in the CORS-TR Network: Case Study — Kamil Eren, Turgut Uzel, Engin Gulal, Omer Yildirim, and Ayhan Cingoz; 135 (1), 10-8 (2009).

Collins, Brian D.
Use of Airborne and Terrestrial Lidar to Detect Ground Displacement Hazards to Water Systems — Jonathan P. Stewart, Jianping Hu, Robert E. Kayen, Arthur J. Lembo Jr., Brian D. Collins, Craig A. Davis, and Thomas D. O'Rourke; 135 (3), 113-24 (2009).

Davis, Craig A.
Use of Airborne and Terrestrial Lidar to Detect Ground Displacement Hazards to Water Systems — Jonathan P. Stewart, Jianping Hu, Robert E. Kayen, Arthur J. Lembo Jr., Brian D. Collins, Craig A. Davis, and Thomas D. O'Rourke; 135 (3), 113-24 (2009).

Driscoll, Neal
Terrestrial Laser Scanning of Extended Cliff Sections in Dynamic Environments: Parameter Analysis — Michael J. Olsen, Elizabeth Johnstone, Neal Driscoll, Scott A. Ashford, and Falko Kuester; 135 (4), 161-9 (2009).

El-Mowafy, A.
Alternative Postprocessing Relative Positioning Approach Based on Precise Point Positioning — A. El-Mowafy; 135 (2), 56-65 (2009).

Eren, Kamil
Results from a Comprehensive Global Navigation Satellite System Test in the CORS-TR Network: Case Study — Kamil Eren, Turgut Uzel, Engin Gulal, Omer Yildirim, and Ayhan Cingoz; 135 (1), 10-8 (2009).

Erenoglu, R. Cuneyt
New Method for Outlier Diagnostics in Linear Regression — Serif Hekimoglu and R. Cuneyt Erenoglu; 135 (3), 85-9 (2009).

Fekpe, Edward S.
Probabilistic Approach for Modeling and Presenting Error in Spatial Data — Edward S. Fekpe, Thomas K. Windholz, and Kate Beard; 135 (3), 101-12 (2009).

Fok, H. S.
Evaluation of International Terrestrial Reference Frame Colocated Ties through Compatibility Testing — H. S. Fok; 135 (1), 27-32 (2009).

Font-Llagunes, Josep M.
New Method That Solves the Three-Point Resection Problem Using Straight Lines Intersection — Josep M. Font-Llagunes and Joaquim A. Batlle; 135 (2), 39-45 (2009).

Grejner-Brzezinska, Dorota A.
Network Calibration for Unfavorable Reference-Rover Geometry in Network-Based RTK: Ohio CORS Case Study — Dorota A. Grejner-Brzezinska, Niyazi Arslan, Pawel Wielgosz, and Chang-Ki Hong; 135 (3), 90-100 (2009).

Gulal, Engin
Results from a Comprehensive Global Navigation Satellite System Test in the CORS-TR Network: Case Study — Kamil Eren, Turgut Uzel, Engin Gulal, Omer Yildirim, and Ayhan Cingoz; 135 (1), 10-8 (2009).

Hekimoglu, Serif
New Method for Outlier Diagnostics in Linear Regression — Serif Hekimoglu and R. Cuneyt Erenoglu; 135 (3), 85-9 (2009).

Hong, Chang-Ki
Network Calibration for Unfavorable Reference-Rover Geometry in Network-Based RTK: Ohio CORS Case Study — Dorota A. Grejner-Brzezinska, Niyazi Arslan, Pawel Wielgosz, and Chang-Ki Hong; 135 (3), 90-100 (2009).

Hu, G.-R.
Analysis and Evaluation of Various Tropospheric Modeling Approaches for High-Precision GPS Kinematic Positioning over Medium Ranges and at High Altitude: Case Study — S.-H. Zhao, X.-S. Lu, Q.-F. Wang, G.-R. Hu, and C. Ogaja; 135 (2), 66-71 (2009).

Hu, Jianping
Use of Airborne and Terrestrial Lidar to Detect Ground Displacement Hazards to Water Systems — Jonathan P. Stewart, Jianping Hu, Robert E. Kayen, Arthur J. Lembo Jr., Brian D. Collins, Craig A. Davis, and Thomas D. O'Rourke; 135 (3), 113-24 (2009).

Johnstone, Elizabeth
Terrestrial Laser Scanning of Extended Cliff Sections in Dynamic Environments: Parameter Analysis — Michael J. Olsen, Elizabeth Johnstone, Neal Driscoll, Scott A. Ashford, and Falko Kuester; 135 (4), 161-9 (2009).

Kayen, Robert E.
Use of Airborne and Terrestrial Lidar to Detect Ground Displacement Hazards to Water Systems — Jonathan P. Stewart, Jianping Hu, Robert E. Kayen, Arthur J. Lembo Jr., Brian D. Collins, Craig A. Davis, and Thomas D. O'Rourke; 135 (3), 113-24 (2009).

Kuester, Falko
Terrestrial Laser Scanning of Extended Cliff Sections in Dynamic Environments: Parameter Analysis — Michael J. Olsen, Elizabeth Johnstone, Neal Driscoll, Scott A. Ashford, and Falko Kuester; 135 (4), 161-9 (2009).

Larocca, Ana Paula C.
Measuring Dynamic Oscillations of a Small Span Cable-Stayed Footbridge: Case Study Using L1 GPS Receivers — Ricardo Ernesto Schaal and Ana Paula C. Larocca; 135 (1), 33-7 (2009).

Lembo, Arthur J., Jr.
Use of Airborne and Terrestrial Lidar to Detect Ground Displacement Hazards to Water Systems — Jonathan P. Stewart, Jianping Hu, Robert E. Kayen, Arthur J. Lembo Jr., Brian D. Collins, Craig A. Davis, and Thomas D. O'Rourke; 135 (3), 113-24 (2009).

Lerma, José Luis
From the Conventional Total Station to the Prospective Image Assisted Photogrammetric Scanning Total Station: Comprehensive Review — Michael Scherer and José Luis Lerma; 135 (4), 173-8 (2009).

Liu, Da-jie
Improved Accuracy of Area Objects in a Geographic Information System Based on Helmert's Variance Component Estimation Method — Xiao-hua Tong, Wen-zhong Shi, and Da-jie Liu; 135 (1), 19-26 (2009).

Lösler, Michael
New Mathematical Model for Reference Point Determination of an Azimuth-Elevation Type Radio Telescope — Michael Lösler; 135 (4), 131-5 (2009).

Lu, X.-S.
Analysis and Evaluation of Various Tropospheric Modeling Approaches for High-Precision GPS Kinematic Positioning over Medium Ranges and at High Altitude: Case Study — S.-H. Zhao, X.-S. Lu, Q.-F. Wang, G.-R. Hu, and C. Ogaja; 135 (2), 66-71 (2009).

Nowak, Robert D.
Improved Approach to LIDAR Airport Obstruction Surveying Using Full-Waveform Data — Christopher E. Parrish and Robert D. Nowak; 135 (2), 72-82 (2009).

Ogaja, C.
Analysis and Evaluation of Various Tropospheric Modeling Approaches for High-Precision GPS Kinematic Positioning over Medium Ranges and at High Altitude: Case Study — S.-H. Zhao, X.-S. Lu, Q.-F. Wang, G.-R. Hu, and C. Ogaja; 135 (2), 66-71 (2009).

Olsen, Michael J.
Terrestrial Laser Scanning of Extended Cliff Sections in Dynamic Environments: Parameter Analysis — Michael J. Olsen, Elizabeth Johnstone, Neal Driscoll, Scott A. Ashford, and Falko Kuester; 135 (4), 161-9 (2009).

O'Rourke, Thomas D.
Use of Airborne and Terrestrial Lidar to Detect Ground Displacement Hazards to Water Systems — Jonathan P. Stewart, Jianping Hu, Robert E. Kayen, Arthur J. Lembo Jr., Brian D. Collins, Craig A. Davis, and Thomas D. O'Rourke; 135 (3), 113-24 (2009).

Oszczak, Stanisław
Performance of RTK Positioning in Forest Conditions: Case Study — Mieczysław Bakuła, Stanisław Oszczak, and Renata Pelc-Mieczkowska; 135 (3), 125-30 (2009).

Parrish, Christopher E.
Improved Approach to LIDAR Airport Obstruction Surveying Using Full-Waveform Data — Christopher E. Parrish and Robert D. Nowak; 135 (2), 72-82 (2009).

Pelc-Mieczkowska, Renata
Performance of RTK Positioning in Forest Conditions: Case Study — Mieczysław Bakuła, Stanisław Oszczak, and Renata Pelc-Mieczkowska; 135 (3), 125-30 (2009).

Peng, Junhuan
Jointly Robust Estimation of Unknown Parameters and Variance Components Based on Expectation-Maximization Algorithm — Junhuan Peng; 135 (1), 1-9 (2009).

Porta, Josep M.
Concise Proof of Tienstra's Formula — Josep M. Porta and Federico Thomas; 135 (4), 170-2 (2009).

Sarti, Pierguido
Laser Scanner and Terrestrial Surveying Applied to Gravitational Deformation Monitoring of Large VLBI Telescopes' Primary Reflector — Pierguido Sarti, Luca Vittuari, and Claudio Abbondanza; 135 (4), 136-48 (2009).

Schaal, Ricardo Ernesto
Measuring Dynamic Oscillations of a Small Span Cable-Stayed Footbridge: Case Study Using L1 GPS Receivers — Ricardo Ernesto Schaal and Ana Paula C. Larocca; 135 (1), 33-7 (2009).

Scherer, Michael
From the Conventional Total Station to the Prospective Image Assisted Photogrammetric Scanning Total Station: Comprehensive Review — Michael Scherer and José Luis Lerma; 135 (4), 173-8 (2009).

Shi, Wen-zhong
Improved Accuracy of Area Objects in a Geographic Information System Based on Helmert's Variance Component Estimation Method — Xiao-hua Tong, Wen-zhong Shi, and Da-jie Liu; 135 (1), 19-26 (2009).

Stewart, Jonathan P.
Use of Airborne and Terrestrial Lidar to Detect Ground Displacement Hazards to Water Systems — Jonathan P. Stewart, Jianping Hu, Robert E. Kayen, Arthur J. Lembo Jr., Brian D. Collins, Craig A. Davis, and Thomas D. O'Rourke; 135 (3), 113-24 (2009).

Stewart, Jonathan P.
— 135 (2), 83-4 (2009).

Teunissen, P. J. G.
Application of Least-Squares Variance Component Estimation to GPS Observables — A. R. Amiri-Simkooei, P. J. G. Teunissen, and C. C. J. M. Tiberius; 135 (4), 149-60 (2009).

Thomas, Federico
Concise Proof of Tienstra's Formula — Josep M. Porta and Federico Thomas; 135 (4), 170-2 (2009).

Tiberius, C. C. J. M.
Application of Least-Squares Variance Component Estimation to GPS Observables — A. R. Amiri-Simkooei, P. J. G. Teunissen, and C. C. J. M. Tiberius; 135 (4), 149-60 (2009).

Tong, Xiao-hua
Improved Accuracy of Area Objects in a Geographic Information System Based on Helmert's Variance Component Estimation Method — Xiao-hua Tong, Wen-zhong Shi, and Da-jie Liu; 135 (1), 19-26 (2009).

Uzel, Turgut
Results from a Comprehensive Global Navigation Satellite System Test in the CORS-TR Network: Case Study — Kamil Eren, Turgut Uzel, Engin Gulal, Omer Yildirim, and Ayhan Cingoz; 135 (1), 10-8 (2009).

Vittuari, Luca
Laser Scanner and Terrestrial Surveying Applied to Gravitational Deformation Monitoring of Large VLBI Telescopes' Primary Reflector — Pierguido Sarti, Luca Vittuari, and Claudio Abbondanza; 135 (4), 136-48 (2009).

Wang, Q.-F.
Analysis and Evaluation of Various Tropospheric Modeling Approaches for High-Precision GPS Kinematic Positioning over Medium Ranges and at High Altitude: Case Study — S.-H. Zhao, X.-S. Lu, Q.-F. Wang, G.-R. Hu, and C. Ogaja; 135 (2), 66-71 (2009).

Wielgosz, Pawel
Network Calibration for Unfavorable Reference-Rover Geometry in Network-Based RTK: Ohio CORS Case Study — Dorota A. Grejner-Brzezinska, Niyazi Arslan, Pawel Wielgosz, and Chang-Ki Hong; 135 (3), 90-100 (2009).

Windholz, Thomas K.
Probabilistic Approach for Modeling and Presenting Error in Spatial Data — Edward S. Fekpe, Thomas K. Windholz, and Kate Beard; 135 (3), 101-12 (2009).

Yildirim, Omer
Results from a Comprehensive Global Navigation Satellite System Test in the CORS-TR Network: Case Study — Kamil Eren, Turgut Uzel, Engin Gulal, Omer Yildirim, and Ayhan Cingoz; 135 (1), 10-8 (2009).

Zhao, S.-H.
Analysis and Evaluation of Various Tropospheric Modeling Approaches for High-Precision GPS Kinematic Positioning over Medium Ranges and at High Altitude: Case Study — S.-H. Zhao, X.-S. Lu, Q.-F. Wang, G.-R. Hu, and C. Ogaja; 135 (2), 66-71 (2009).